


Thermal Design for Electronics

Version 1.01 2004-06-05
by
Ake Malhammar



Copy permission: Kylteknik 2004-01-20 __ (15)

Content

1. Basics

Scope	1.1
Conduction	1.1
Convection	1.2
Temperature differences	1.4
Dimensionless numbers	1.5
Radiation	1.7
The continuity equation	1.8
The energy equation	1.9
Temperature difference conversions	1.9
Turbulent and laminar flow	1.10
Electrical analogies	1.12

2. Definitions

Scope	2.1
Temperature differences general considerations	2.1
Room temperature	2.2
Ambient temperature	2.2
Board temperature	2.2
Pin temperature	2.3
Case temperature	2.3
Junction temperature	2.4
Air velocity	2.4

3. Cooling efficiency

Scope	3.1
Definition	3.1
Lay out application	3.2
Enclosure application	3.4
Front-end application	3.4
Stacked sub racks	3.5
The sub rack factor	3.6
The PCB efficiency	3.7

4. Air efficiency

Scope	4.1
Definition	4.1
Cooling limit application	4.2

5. Electronic hardware

Scope	5.1
Micro circuit packages	5.1
Modules	5.2
Circuit boards	5.3
Sub racks	5.4

6. Convection on plates

Scope	6.1
Component and PCB oriented design	6.1
Component disturbances	6.2
PCB guide disturbances	6.3
Laminar flow between plates	6.3
Laminar flow for other cross section shapes	6.5
Turbulent flow between parallel plates	6.6
Temperature difference conversions	6.7
Flow along single plates	6.8
The local heat transfer coefficient	6.9

7. Component models

Scope	7.1
Physical and logical models	7.1
Basic and applied models	7.2
Complete and non-complete models	7.2
General and less general models	7.4
The characteristic equation	7.5
The 2-parameter model	7.8
The 3-parameter model	7.10
Applied models	7.13
The JEDEC model	7.14
The Delphi model	7.15

8. Natural convection

Scope	8.1
Vertical surfaces	8.1
Horizontal surfaces	8.3
Parallel plates	8.4
Parallel plates with chimney	8.7
U-shaped air slots	8.8
Inclined plates	8.9
Equivalent air velocity	8.10
Heat transfer correlations for PCBs	8.11

9. Conduction

Scope	9.1
Thermal resistance	9.1
One dimensional conduction	9.2
Two dimensional conduction	9.3
Bottle necks	9.4
The 45° rule	9.5
Fin efficiency	9.5
The critical conductor length of a conductor	9.8
Semi conductors	9.11

10. Hot spot cooling

Scope	10.1
Rectangular heat source on a convection cooled plate	10.1
Dynamic solution for a heat source on a convection cooled plate	10.6
Rectangular heat source on an edge cooled plate	10.8
Rectangular heat source on a convection cooled block	10.9
Bottle neck	10.11
Circular heat source on an infinite plate cooled by convection	10.12
Approximation for a heat source of arbitrary shape	10.15
Approximation for heat sources of rectangular shape	10.18
Sub division technique	10.18
Rectangular plate modeling	10.20

11. Thermal territories

Scope	11.1
Definition	11.1
Applications	11.3
Inherited method problems	11.4
Calculation methods for a flat heat source	11.5
The wing method	11.5
Circular approximation methods	11.7
Thermal territories for components	11.9

12. Numerical solutions to conduction problems

Scope	12.1
The finite difference method	12.1
The rectangular thermal resistance net approach	12.2
Finite elements	12.5

13. Radiation

Scope	13.1
Black body radiation	13.1
The angle factor	13.2
Radiation from non-black surfaces	13.4
Solar load	13.5
Heat balance for a surface with solar load	13.6

14. Pressure drop

Scope	14.1
The Bernoulli equation	14.1
The compensation term	14.3
Friction losses	14.3
Dynamic losses	14.5
Flow distribution in parallel channels	14.8

15. Flow calculations

Scope	15.1
Fan and system curves	15.1
Calculation errors	15.2
Simple flow calculations	15.3
Branched flow calculations	15.5

16. The analogy number as heat sink characterization

Scope	16.1
Reynolds analogy	16.1
Analogy number for plates	16.3
Analogy number for cylinders	16.5
Pin fins and rectangular fins	16.6
Fin shape and pressure losses	16.7
Analogy number for heat sinks	16.9

17. Heat sinks

Scope	17.1
Heat transfer coefficient	17.1
Heat dissipation	17.2
Friction	17.3
Pressure drop	17.3
Flow bypass	17.4
Discrete heat sources	17.7
Air temperature increase compensation	17.8